

# **Hardware Accessories**

#### **Lace-up Hoisting Grips**



Hoisting Grips provide an effective method for lifting coax cables to the top of a tower where it is tied off to support the cable weight

\*LMR-400 Grip is non-lace-up

Application: Coax Support

Versions for coax and elliptical waveguide Size: Design: Mesh grip with single eye support Feature: Lace-up installation at any point on coax Mounts to:

Material: Tinned bronze

Includes: Grip Order Sep.:

|   | Livit 1400 Citip is Horriace-up                  | TMS part no. | Quant/pkg. | Weight lb | (kg)  |
|---|--|--------------|------------|-----------|-------|
|   | Hoisting Grip for LMR-400 Coaxial Cable*         | HG-400T      | 1          | 0.3       | (1.0) |
|   | Lace-up Hoisting Grip for LMR-600 Coaxial Cable  | HG-600T      | 1          | 0.3       | (1.0) |
| I | Lace-up Hoisting Grip for LMR-900 Coaxial Cable  | HG-900T      | 1          | 0.4       | (0.2) |
|   | Lace-up Hoisting Grip for LMR-1200 Coaxial Cable | HG-1200T     | 1          | 0.6       | (0.3) |
|   | Lace-up Hoisting Grip for LMR-1700 Coaxial Cable | HG-1700T     | 1          | 0.6       | (0.3) |

### **Universal Weatherproofing Kits**



Mastic and electrical tape kit facilitates easy installation and provides a long-term environmental seal for connections.

Universal Kit (does 6 connections)

Vinyl-mastic Kit (does 2 connections)

Coax Protection Application: Size:

Design:

Tape kit for multi-layer wrap Feature: Multi-connection protection Mounts to:

Material:

WK-U Includes: Butyl and vinyl

Six (6) rolls mastic, 2-1/2" x 24" (64mm x 610mm) Two (2) rolls electrical tape, 3/4" x 66' (19mm x 20m) One (1) roll electrical tape, 2" x 20' (51mm x 6m)

Order Sep.:

TMS part no. Quant/pkg. Weight lb (kg) WK-U 1 3.4 (1.5)WK-2 0.6 (0.3)

### 3M™ Cold Shrink™ Weatherproofing Kits

Avoid tapes and mastics with Cold Shrink™. This unique weatherproofing solution installs in less than three minutes, and eliminates the taping processes.



|  |                                       | TWO part no. | Quantipkg | weight ib | (kg)  |
|--|---------------------------------------|--------------|-----------|-----------|-------|
|  | LMR-400 & LMR-600 (antenna interface) | CS-4060T     | 1         | 0.4       | (0.2) |
|  | LMR-600 (antenna interface)           | CS-A-600T    | 1         | 0.8       | (0.4) |
|  | LMR-900 (antenna interface)           | CS-A900T     | 1         | 0.8       | (0.4) |
|  | LMR-1200 to LMR-400                   | CS-40120T    | 1         | 0.8       | (0.4) |
|  | LMR-1200 to LMR-500                   | CS-50120T    | 1         | 0.8       | (0.4) |
|  | LMR-1200 to LMR-600                   | CS-60120T    | 1         | 0.8       | (0.4) |
|  | LMR-1200 to LMR-900                   | CS-90120T    | 1         | 0.8       | (0.4) |
|  | LMR-1700 to LMR-400                   | CS-40170T    | 1         | 1.0       | (0.5) |
|  | LMR-1700 to LMR-500                   | CS-50170T    | 1         | 1.0       | (0.5) |
|  | LMR-1700 to LMR-600                   | CS-60170T    | 1         | 0.9       | (0.4) |
|  | LMR-1700 to LMR-900                   | CS-90170T    | 1         | 0.9       | (0.4) |

## Rapid-Tite Self Bonding Silicone Tape



Self-bonding silicone tape is a cost effective, labor saving alternative to traditional vinyl mastic and butyl rubber sealing kits.

| , ,   | TMS part no. | Quant/pkg | No. Connections |
|---|--------------|-----------|-----------------|
| 1.5" wide x 15' length x 30 mil. silicone t | tape WK-S-1  | 1         | 6               |
|   | WK-S-2       | 2         | 12              |
|   |              |           |                 |